

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(unstructure near2 data) same (relational or (table\$1 or row\$1 or column\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 15:34
L2	0	(un-structur\$ near2 data) same (relational or (table\$1 or row\$1 or column\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 15:36
L3	1425	(map\$4 with format\$3 with (table\$1 or schemas))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 15:43
L4	0	(map\$4 with (diferent near2 format\$3) with (table\$1 or schemas))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 15:44
L5	27	(map\$4 with (different near2 format\$3) with (table\$1 or schemas))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 15:46
L6	5	(map\$4 with (different near2 format\$3) with (table\$1 or schemas)) same value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 15:50
L7	1	"nested conditional relation"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:05
L8	2622	(map\$4 with source\$1) same (table\$1 or schemas)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:06
L9	100	(map\$4 with source\$1) same (table\$1 or schemas) same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:17
L10	66	9 and (different near2 (source\$1 or table\$1 or format\$1 or schemas))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:07

L11	33	10 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:08
L12	18	10 and (value\$1 near2 type\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:09
L13	3884	(map\$4 with different with (format\$1 or source\$1 or table\$1 or schemas))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:19
L14	193	((map\$4 or convert\$5) with different with (format\$1 or source\$1 or table\$1 or schemas)) same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:29
L15	61	14 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:23
L16	0	15 and @rlad<"2000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:24
L17	3	15 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:24
L18	9	14 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:28
L19	198	((map\$4 or convert\$5) with different with (format\$1 or source\$1 or table\$1 or schemas or row\$1 or column\$1)) same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:28
L20	9	19 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:30

L21	127	map\$4 same (convert\$5 or transform\$4 or translat\$5) same different same (format\$1 or source\$1 or table\$1 or schemas) same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:36
L22	6	21 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:36
L23	137	map\$4 same (convert\$5 or transform\$4 or translat\$5) same different same (format\$1 or database\$1 or resource\$1 or source\$1 or table\$1 or schemas) same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:51
L24	6	22 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:36
L25	7	23 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:56
L26	186	map\$4 same (convert\$5 or transform\$4 or translat\$5) same different same (format\$1 or database\$1 or resource\$1 or source\$1 or table\$1 or schemas) same (xml or html or sgml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:58
L27	7	25 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:56
L28	19	26 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:06
L29	328	(map\$4 or link\$3) same (convert\$5 or transform\$4 or translat\$5) same different same (format\$1 or database\$1 or resource\$1 or source\$1 or table\$1 or schemas) same (xml or html or sgml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 16:58

L30	29	(map\$4 or link\$3) same values\$1 same (convert\$5 or transform\$4 or translat\$5) same different same (format\$1 or database\$1 or resource\$1 or source\$1 or table\$1 or schemas) same (xml or html or sgml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:07
L31	1	30 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:08
L32	119	(map\$4 or link\$3) same values\$1 same (row\$1 or column\$1) same (xml or html or sgml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:18
L33	21	(map\$4 or link\$3) same values\$1 same (row\$1 or column\$1) same (xml or html or sgml) same format\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:08
L34	0	33 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:08
L35	6	32 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:38
L36	53	(map\$4 or link\$3) same ((row\$1 or column\$1) near2 value\$1) same (xml or html or sgml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:19
L37	12	(map\$4 or link\$3) same ((row\$1 or column\$1) near2 value\$1) same (xml or html or sgml) same (conver\$5 or translat\$3 or transform\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:38
L38	44	(map\$4 or link\$3) same ((row\$1 or column\$1) near2 value\$1) same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:40
L39	1	38 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:41

L40	43	((map\$4 or link\$3) with (xml or html or sgml)) same ((row\$1 or column\$1) near2 value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:41
L41	3	40 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:51
L42	0	((map\$4 or link\$3) with (xml or html or sgml)) same ((row\$1 or column\$1) near2 value\$1) same (different near2 (source\$1 or fomrat\$1 or database\$1 or schema\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:42
L43	17	((map\$4 or link\$3) with (xml or html or sgml)) same ((row\$1 or column\$1) near2 value\$1)) and (different near2 (source\$1 or fomrat\$1 or database\$1 or schema\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:48
L44	0	((map\$4 or link\$3) with (xml or html or sgml)) same (((row\$1 or column\$1) near2 value\$1) with different with (source\$1 or fomrat\$1 or database\$1 or schema\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:49
L45	9	((map\$4 or link\$3) with ((row\$1 or column\$1) near2 value\$1)) same (different with (source\$1 or fomrat\$1 or database\$1 or schema\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:56
L46	3	45 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:52
L47	175	((map\$4 or link\$3) with ((row\$1 or column\$1) near2 value\$1)) same (source\$1 or fomrat\$1 or database\$1 or schema\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:52
L48	41	47 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:52
L49	2	48 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 18:03

L50	20	((map\$4 or link\$3 or associat\$3) with ((row\$1 or column\$1) near2 value\$1)) same (different with (source\$1 or fomrat\$1 or database\$1 or schema\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:57
L51	653	((map\$4 or link\$3 or associat\$3) with (row\$1 or column\$1)) same (different with (source\$1 or fomrat\$1 or database\$1 or schema\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:57
L52	9	((map\$4 or link\$3 or associat\$3) with (row\$1 or column\$1)) same (different with (source\$1 or fomrat\$1 or database\$1 or schema\$1)) same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 18:00
L53	14	((map\$4 or link\$3 or associat\$3) with (row\$1 or column\$1)) same (different with (source\$1 or fomrat\$1 or database\$1 or schema\$1)) same (xml or html or sgml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 18:03
L54	15	((map\$4 or link\$3 or associat\$3 or join\$3) with (row\$1 or column\$1)) same (different with (source\$1 or fomrat\$1 or database\$1 or schema\$1)) same (xml or html or sgml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 18:06
L55	2	54 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 18:07
L56	64	(map\$4 or link\$3 or associat\$3 or join\$3) same (xml or html or sgml) same (row\$1 or column\$1) same (different with (source\$1 or fomrat\$1 or database\$1 or schema\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 18:10
L57	4	56 and @rlad<"20000302"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 18:07
L58	4	(map\$4 or link\$3 or associat\$3 or join\$3) same (convert\$3 or translat\$3 or transform\$4) same (xml or html or sgml) same (row\$1 or column\$1) same (different with (source\$1 or fomrat\$1 or database\$1 or schema\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 18:12

L59	192	(map\$4 or link\$3 or associat\$3 or join\$3) same (convert\$3 or translat\$3 or transform\$4) same ((source\$1 or fomrat\$1 or database\$1 or schema\$1)) same (xml near2 (schema\$1 or table\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 18:13
L60	196	(map\$4 or link\$3 or associat\$3 or join\$3) same (convert\$3 or translat\$3 or transform\$4) same ((source\$1 or format\$1 or database\$1 or schema\$1)) same (xml near2 (schema\$1 or table\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 18:19
L61	21	60 and ((map\$4 or link\$3 or associat\$3 or join\$3) with (column\$1 or column\$1) with value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 18:21
L62	231	(map\$4 or link\$3 or associat\$3 or join\$3) same (convert\$3 or translat\$3 or transform\$4) same ((source\$1 or format\$1 or database\$1 or schema\$1)) same ((xml or html or xsl or sgml) near2 (schema\$1 or table\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 18:19
L63	21	61 and ((map\$4 or link\$3 or associat\$3 or join\$3) with (column\$1 or column\$1) with value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 18:56
L64	7	ibm.as. and (composite near2 key\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 19:09
L65	698	call.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 19:10
L66	43	call.in. and cross\$3 near2 referenc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 19:10
L67	43	call.in. and (cross\$3 near2 referenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 19:10